

國立清華大學

碩士論文

題目 在 IEEE 802.11 無線區域網路中以等級限定為基礎的媒體競爭存取機制

Priority-Based Contention Control in  
IEEE 802.11 Wireless LAN

所別 資訊工程系 組別                     

學號姓名 894362 林有明 (Yu-Ming Lin)

指導教授 陳文村 教授 (Prof. Wen-Tsuen Chen)

中華民國 九十一年 六 月 二十 日

# CONTENTS

<b>CHAPTER 1 INTRODUCTION .....</b>	<b>1</b>
<b>CHAPTER 2 RELATED WORKS AND BACKGROUND .....</b>	<b>4</b>
2.1 IEEE 802.11 MAC Access Schemes .....	4
2.2 Real-Time Communication .....	7
2.3 Service Differentiation Schemes .....	8
2.3.1 Adaptive Backoff Contention Window Differentiation Approaches....	8
2.3.2 Differential Inter-Frame Spaces (IFS) Differentiation Approaches ...	10
2.3.3 Differential Frame Size Differentiation Approaches.....	11
<b>CHAPTER 3 PRIORITY-BASED CONTENTION CONTROL SCHEME .....</b>	<b>13</b>
3.1 Modified RTS / CTS / MAC / ACK Frame Formats.....	14
3.2 AP Behavior .....	19
3.3 STA Behavior .....	19
3.4 Contention Resolution Scheme .....	20
3.5 Algorithms.....	24
3.5.1 Basic Access Algorithm .....	25
3.5.2 Collision Resolution Algorithm .....	26
3.6 Analysis .....	28
<b>CHAPTER 4 SIMULATION EXPERIMENTS .....</b>	<b>32</b>
4.1 Simulation Results for the Conventional IEEE 802.11 WLAN .....	33
4.2 Simulation Results and Discussion .....	35
<b>CHAPTER 5 CONCLUSIONS AND FUTURE WORKS.....</b>	<b>44</b>

# LIST OF FIGURES

Figure.1 IEEE 802.11 MAC architecture.....	5
Figure.2 PCF channel access scheme.....	6
Figure.3 IEEE 802.11 channel access scheme .....	6
Figure.4 Differential IFS approach for service differentiation.....	10
Figure.5 The IFS distance between two (consecutive) D-IFSs .....	11
Figure.6 Conventional IEEE 802.11 RTS / CTS / MAC / ACK frame formats.....	15
Figure.7 Modified RTS / CTS / MAC / ACK frame formats with n bit of PL value ..	16
Figure.8 Frame Control subfield of a control frame .....	19
Figure.9 The priority classes and contention window sizes mapping diagram.....	25
Figure.10 RTS frame format with 1 octet of extension field (EF) .....	24
Figure.11 RTS frame format with next accessible address (NA) .....	24
Figure.12 The (a) aggregate throughput, (b) average delay, (c) packet drop probability and (d) drop ratio of the conventional IEEE 802.11 DCF access schemes with different combination of the CWmin and CWmax .....	36
Figure.13 Throughput for voice traffic: (a) with RTS/CTS, (b) without RTS/CTS .....	37
Figure.14 Average delay for voice traffic: (a) with RTS/CTS, (b) without RTS/CTS .....	37
Figure.15 Average delay jitter for voice traffic: (a) with RTS/CTS, (b) without RTS/CTS .....	37
Figure.16 Packet drop probability for voice traffic: (a) with RTS/CTS, (b) without RTS/CTS .....	38
Figure.17 The throughput of the simulated access schemes with different packet sizes: (a) with RTS/CTS, (b) without RTS/CTS .....	39

Figure.18 The throughput of the simulated access schemes with mean packet size 1000 octets: (a) with RTS/CTS, (b) without RTS/CTS.....	39
Figure.19 Throughput for voice traffic of the variant PCC_NAP schemes: (a) with RTS/CTS, (b) without RTS/CTS.....	40
Figure.20 Average delay for voice traffic of the variant PCC_NAP schemes: (a) with RTS/CTS, (b) without RTS/CTS.....	41
Figure.21 Average delay jitter for voice traffic of the variant PCC_NAP schemes: (a) with RTS/CTS, (b) without RTS/CTS.....	41
Figure.22 Throughput for voice traffic of the variant PCC_AP schemes: (a) with RTS/CTS, (b) without RTS/CTS.....	42
Figure.23 Average delay for voice traffic of the variant PCC_AP schemes: (a) with RTS/CTS, (b) without RTS/CTS.....	42
Figure.24 Average delay jitter for voice traffic of the variant PCC_AP schemes: (a) with RTS/CTS, (b) without RTS/CTS.....	43

# LIST OF TABLES

TABLE I : DURATION/ID FIELD ENCODING IN THE IEEE 802.11 .....	15
TABLE II : SYSTEM CONFIGURATION AND PARAMETERS .....	32
TABLE III : PRIORITY CLASS TO TRAFFIC CLASS MAPPING .....	36